





Technical data/ Datos técnicos:

| | |
|---|-----------------|
| According to/ En referencia a: | 1087960 |
| Operating temperature range/Rango de temperatura: | -40°C a/to 80°C |
| Weight/ Peso: | 133 gr |

1.- Pressure Switch/ Conmutador de presión

2.- Connection sensor/ Conexión de sensor








| | | | | | | | |
|--------------|----|----------|------|--------|-------------------|---|---|
| Modification | 4 | | | | Drawn |  | |
| | 3 | | | | 08/07/20 S.F. | | |
| | 2 | | | | Checked | | |
| | 1 | | | | 08/07/20 E.L. | | |
| | nº | Modified | Date | Reason | General Tolerance | | Assembly |
| Comments | | | | | ISO 2768 c-K | Part name | Pressure switch/Sensor de presión |
| | | | | | Material | ID. Reference | 2260086 |
| | | | | | - | Scale: 1/1 |  |
| | | | | | - | Review: 0 | |

1.- Pressure Switch/ Conmutador de presión

Technical data/ Datos técnicos:

| | |
|---|-----------------|
| According to/ En referencia a: | 20382510 |
| Measuring range/ Campo de medida: | 0 - 1 bar |
| Operating temperature range/Rango de temperatura: | -40°C a/to 80°C |
| Switching pressure/ Presión de conmutación: | 0,3 ± 0,2 bar |
| Weight/ Peso: | 103 gr |






| | | | | | | | |
|----------|--------------|----------|------|--------|-------------------|---------------|-----------------------------------|
| F | Modification | 4 | | | | Drawn | |
| | | 3 | | | | 08/07/20 S.F. | |
| | | 2 | | | | Checked | |
| | | 1 | | | | 08/07/20 E.L. | |
| | nº | Modified | Date | Reason | General Tolerance | Assembly | |
| Comments | | | | | ISO 2768 c-K | Part name | Pressure switch/Sensor de presión |
| | | | | | Material | ID. Reference | 2260086 |
| | | | | | Material | Scale: 1/1 | |
| | | | | | | Review: 0 | |

2.- Sensor conection/ Conexión de sensor

Technical data/ Datos técnicos:

| | |
|---|-----------------|
| According to/ En referencia a: | 1741865 |
| Operating temperature range/Rango de temperatura: | -40°C a/to 80°C |
| Weight/ Peso: | 30 gr |



VIEW/VISTA C

| | | | | | | | | |
|--------------|----|----------|------|--------|-------------------|---------------|-----------------------------------|-----------|
| Modification | 4 | | | | Drawn | | | |
| | 3 | | | | 08/07/20 S.F. | | | |
| | 2 | | | | Checked | | | |
| | 1 | | | | 08/07/20 E.L. | | | |
| | nº | Modified | Date | Reason | General Tolerance | | Assembly | |
| Comments | | | | | ISO 2768 c-K | Part name | Pressure switch/Sensor de presión | |
| | | | | | Material | ID. Reference | 2260086 | |
| | | | | | - | Scale: 1/1 | | Sheet 3/3 |
| | | | | | - | Review: 0 | | |